



# BELL 412 EP

## FOR SALE

SERIAL NUMBER	MANUFACTURED	LOCATION
36325	2003	Peru
PRICE	TOTAL TIME	AVAILABLE
\$3,150,000 USD	13,334.7 HRS	Immediately

### EQUIPMENT

- |                              |                                  |
|------------------------------|----------------------------------|
| • Two (2) fire extinguishers | • Cargo hook provisions          |
| • Dart cargo mirror          | • High skid gear                 |
| • Dual controls              | • Emergency float provisions     |
| • BLR fast fin & strake      | • 53 amp battery - Saft          |
| • Cabin heating              | • Heli-access steps              |
| • Rotor brake                | • Auxiliary fuel tank provisions |
| • Frahm damper               | • Push out windows               |
| • Vertical reference window  | • Hi Vis main rotor blades       |

### HIGHLIGHTS

- Offshore configuration
- 30 Min OEI
- FAA/IFR
- Increased generator capacity

### INTERIOR

- Utility configuration
- Thirteen (13) passenger seats
- Cabin cargo net



**AVIONICS**

• CVFDR	<i>Madras</i>
• GPS	<i>Garmin GTN 625</i>
• VHF FM transceiver	<i>Technisonic TDFM-136A</i>
• ELT	<i>Artex C406-1HM</i>
• DDAFCS	
• ATC Transponder	<i>Bendix King MST67A</i>
• DME	<i>Bendix King KDM 706</i>
• Dual NAV/VOR/LOC/HSI	<i>Bendix King KNR 634A</i>
• HUMS	
• Satellite tracking system	<i>Spidertrack</i>
• Radar altimeter	<i>Honeywell RT-300</i>
• ADF	<i>Bendix King KDF 806</i>
• Dual VHF COMM	<i>Bendix King KTR-908</i>
• Marker beacon	
• Standby attitude indicator	
• Encoding altimeter	
• Intercom system	<i>Andrea A301-6WCR</i>
• Underwater locator beacon	<i>Dukane DK120</i>
• Weather radar	<i>Honeywell WR-700</i>



<b>MAJOR COMPONENTS</b>	<b>LIMIT</b>	<b>REMAINING</b>	<b>%</b>
5000 Hr / 5 Year Inspection	5,000	2,914.7	58.3%
Main rotor hub	2,500	709.2	28.4%
Yoke assembly x2	5,000	636.9	12.7%
Spindle & damper assembly	10,000	2,425.3	24.3%
Spindle & damper assembly	10,000	2,362.9	23.6%
Spindle & damper assembly	10,000	1,107.4	11.1%
Spindle & damper assembly	10,000	4,270.7	42.7%
Main rotor blade	2,500	1,882.1	75.3%
Main rotor blades x2	2,500	414.7	16.6%
Main rotor blade	2,500	709.2	28.4%
Main rotor mast assembly	6,000	3,487.2	58.1%
Transmission	6,000	3,184.0	53.1%
Main driveshaft	3,000	1,669.8	55.7%
Swashplate assembly	2,500	1,443.6	57.7%
42° Gearbox	5,000	4,221.4	84.4%
90° Gearbox	5,000	437.9	8.8%
Tail rotor hub assembly	2,500	2,329.9	93.2%
Reduction gearbox	4,000	3,741.2	93.5%
Power section module	4,000	249.2	6.2%
Power section module	4,000	101.4	2.5%

\* Aircraft details are based on the information provided and subject to verification during the purchase process

